# LST HEAVY LIQUID

#### SAFETY DATA SHEET

# SECTION 1: IDENTIFICATION AND SUPPLIER

Product Name:	LST Heavy Liquid.	
Description:	Solution of lithium heteropolytungstates in water.	
Use:	Material separation by density	
Company: ABN:	Central Chemical Consulting Pty Ltd 21 009 431 494	
Address:	1/11 Narloo Street, Malaga, Western Australia 6090	
Information Telephone No:	61 8 9248 2739	
Emergency Telephone No:	61 8 9248 2739 or 61 8 9246 1102 (out of hours)	

# **SECTION 2: HAZARD IDENTIFICATION**

#### 2.1 GHS Classification

Serious Eye Damage (Category 1)

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s) H318	Causes serious eye damage
Precautionary statement(s)	
P264	Wash skin thoroughly after handling
P280	Wear protective gloves/eye protection/face protection
Response	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
P317	Get medical Help.

### 2.3 Other hazards - none

### **SECTION 3: COMPOSITION**

### Ingredients (solution in water):

NAME	CAS NO	Proportion	
Lithium heteropolytungstates	-	>80%	

# LST HEAVY LIQUID

### SECTION 4: FIRST AID MEASURES

**Ingestion:** If swallowed and feeling unwell contact Doctor or Poisons Information Centre.

Eye: If in eye rinse out with running water for at least 15 minutes. Contact a doctor immediately.

Skin: If on skin wash off immediately with water.

Advice to Doctor: Treat Symptomatically.

# **SECTION 5: FIRE FIGHTING MEASURES**

Fire Hazard: Explosion Hazard: Not a fire hazard. Does not burn. Not an explosion hazard.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

**Spills and Disposal:** If spilled do not allow substance to enter waterways. If liquid, dike area and absorb with inert material such as sawdust. Dispose of in accordance with Federal, regional and local requirements.

# SECTION 7: HANDLING AND STORAGE

**Handling:** For laboratory use only. Observe good laboratory practice. Wear safety glasses. Wear rubber gloves if skin contact is possible.

**Storage:** The material is not a dangerous good. The material may have slight oxidising characteristics. Store in plastic containers out of direct sunlight.

#### SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

**Engineering Controls:** 

#### **Personal Protection:**

Skin: Impermeable rubber, vinyl or nitrile gloves should be worn when handling the material.

Eyes: Safety glasses/goggles must be worn when handling LST Heavy Liquid or its solids.

*Respiratory:* Not likely to be a route of exposure. Immediately clean up spills to prevent accumulation of dust from dried LST Heavy Liquid.

*Ingestion:* Do not allow eating, drinking or smoking in areas where LST Heavy Liquid is to be stored or used.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid
Color	Clear to pale yellow
Odor	Odourless
Freezing Point	Not applicable
Boiling Point	105°C
Flammability	Not flammable
Upper/lower flammability	Not applicable
Flash Point	Not flammable
Auto-ignition Temperature	Not flammable
<b>Decomposition Temperature</b>	No information available
<b>Evaporation Rate</b>	No information available
рН	4
Kinematic Viscosity	$3.7 \text{ mm}^2/\text{s}$
Dynamic viscosity	10 mPa/s
Solubility in water	Miscible
<b>Partition coefficient: n-octanol/water</b>	No information available
Vapor Pressure	No information available
Specific Gravity	2.85
Vapor Density (Air = 1)	No information available
Particle characteristics	Not applicable

#### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity: Chemical Stability: Can turn dark blue in contact with reducing agents such as metals Stable under normal conditions.

# SECTION 11: TOXICOLOGICAL INFORMATION

Acute Oral LD 50 (rat) > 2 000 mg/kg Acute dermal (rat) > 2 000 mg/kg Non-irritant to skin (Rabbit) Non skin-sensitiser (Guinea Pig) Non mutagenic in Salmonella typhimurium Not clastogenic in Mouse Micronucleus Assay

# SECTION 12: ECOLOGICAL INFORMATION

#### **Ecotoxicity:**

LC50 (96 hr) in Fathead Minnow 94.7 mg/L LC50 (48 hr) Daphnia magna 288.6 mg/L LC50 (14 day) Daphnia magna 2.47 mg/L

#### Miscible with water

#### SECTION 13: DISPOSAL CONSIDERATIONS

**Disposal Method:** Disposal of material and containers should be in accordance with applicable national, regional and local regulations.

### SECTION 14: TRANSPORT INFORMATION

Transport: The material is not a dangerous good.

#### SECTION 15: REGULATORY INFORMATION

UN Number: Dangerous Goods Class: Hazchem Code: Poisons Schedule: No UN Number allocated. Not a dangerous good. None allocated. Not scheduled.

### **SECTION 16: OTHER INFORMATION**

**Revised February 2024**